

Solid Power, Solid Trust

THE NEW ELECTRIC ZOR GRAND







Higher savings of

rings of cost of just

₹6 Lakh* 12 paise / km

Lower maintenance

SUPER SAVER





Best-in-Industry
Power



Best-in-Class Gradeability



Excellent Torque



POWER PACKED PERFORMANCE



4.8 m³
Delivery Box



1828 mm Loading Tray



Range 90 km/ charge



PERFECTLY PRODUCTIVE

Deliver more than before





Clutch free & Gearless drive



Noiseless & Vibration free drive



FATIGUE FREE DRIVE

Feel the ultimate driving comfort



5 years warranty*





Full metal body construction

Financing solutions

- LeasingSubscriptions





Road side assistance

TRUST OF MAHINDRA

Pioneer in development of electric 3-wheelers



Geolocation and Geofencing



Vehicle and Driver performance management



End-to-End fleet management



EXPERIENCE CONNECTED MOBILITY

With NEMO



Lithium-ion battery technology



Charging as simple as a mobile



Dust & Waterproof IP-67 rated motor



Regular software updates



ADVANCED TECHNOLOGY

Technology that can change the way you deliver





508 Crore electric – km



Saved 79000+ metric tonnes of Co₂



Equivalent to planting 36 Lakh trees



Fuel worth
₹ 1199 Crore
saved



INNOVATION WITH ZERO EMISSION

Ecofriendly sustainable mobility







Variant	Delivery Van L5N		Pickup L5N
Vehicle category			
Volume - m ³	4 m³	4.8 m³	NA
Body type	DV	DV+	PU
Vehicle dimensions & weight			
Dimensions - Length x Width x Height - mm	3425 x 1505 x 2295	3475 x 1590 x 2490	3425 x1460 x1755
Wheelbase - mm	2200	2200	2200
Ground clearance - mm	180	180	180
Wheel track - mm	1260	1260	1260
Vehicle kerb weight - kg	580	598	492
Vehicle GVW - kg	998	998	998
Cargo Tray Size - Length x Width x Height (Inside dimensions) - mm	NA	NA	1828×1397×278
DV Box Size - Length x Width x Height [Inside dimensions] - mm	1864 x 1444 x 1488	1904 x 1545 x 1649	NA
Flat Bed Size - Length x Width x Height (Outside dimensions) - mm	NA	NA	NA
Performance Performance			
Top Speed - km/h	50	50	50
Certified range - km	153	153	158
Typical driving range - km	90	90	90
Gradeability - degree	11.5	11.5	11.5
3attery			
Battery type, Voltage - V	Lithium-ion, 48 V	Lithium-ion, 48 V	Lithium-ion, 48 V
Battery capacity - kWh	10.24	10.24	10.24
Charging time at standard conditions	4 h 30 min	4 h 30 min	4 h 30 min
Drivetrain			
Peak power - kW	12	12	12
Peak torque - Nm	50	50	50
Suspension & brakes			
Suspension - Front	Helical Spring & Hydraulic Shock Absorber	Helical Spring & Hydraulic Shock Absorber	Helical Spring & Hydraulic Shock Absorber
Suspension - Rear	Rubber Spring & Hydraulic Damper	Rubber Spring & Hydraulic Damper	Rubber Spring & Hydraulic Damper
Brakes - Front/ Rear	Hydraulic Drum	Hydraulic Drum	Hydraulic Drum
Parking brake	Mechanical Lever Type	Mechanical Lever Type	Mechanical Lever Type
eatures			
Windscreen & wiping system	✓	✓	✓
Spare wheel provision	✓	✓	✓
Driving modes - FNR Forward, Neutral, Reverse	✓	✓	✓
Economy & boost mode	✓	✓	✓
Lockable glove box	✓	✓	✓
12 V socket	✓	✓	✓
Telematics unit & GPS	✓	✓	✓
Offboard charger	✓	✓	✓
Hazard indicator	✓	✓	✓
Cabin light	✓	✓	✓
Bottle holder	✓	✓	✓
Reverse buzzer	✓	✓	✓
		5 Years / 120000 km*	

^{*3} years standard and 2 years extended warranty











